

# 13 x 100 mm TEST TUBE

**13 x 100 mm TEST TUBE** IS A COMMONLY USED LABORATORY GLASSWARE ITEM DESIGNED FOR HOLDING, MIXING, AND HEATING CHEMICAL SUBSTANCES. THIS PARTICULAR SIZE, MEASURING 13 MILLIMETERS IN DIAMETER AND 100 MILLIMETERS IN LENGTH, OFFERS A VERSATILE VOLUME CAPACITY THAT SUITS A WIDE RANGE OF SCIENTIFIC EXPERIMENTS AND PROCEDURES. TEST TUBES OF THIS DIMENSION ARE POPULAR IN MEDICAL, CHEMICAL, AND EDUCATIONAL LABORATORIES DUE TO THEIR CONVENIENT SIZE AND COMPATIBILITY WITH STANDARD LABORATORY EQUIPMENT. UNDERSTANDING THE SPECIFICATIONS, MATERIALS, APPLICATIONS, AND HANDLING TECHNIQUES ASSOCIATED WITH THE 13 x 100 mm TEST TUBE IS CRUCIAL FOR ENSURING ACCURATE AND SAFE EXPERIMENTATION. THIS ARTICLE EXPLORES THE KEY FEATURES, TYPES, AND USES OF 13 x 100 mm TEST TUBES, PROVIDING A COMPREHENSIVE OVERVIEW FOR LABORATORY PROFESSIONALS AND STUDENTS ALIKE. THE FOLLOWING SECTIONS WILL COVER THE SPECIFICATIONS AND DIMENSIONS, MATERIALS AND MANUFACTURING, APPLICATIONS, AND PROPER CARE AND HANDLING OF THESE TEST TUBES.

- SPECIFICATIONS AND DIMENSIONS OF 13 x 100 mm TEST TUBES
- MATERIALS AND MANUFACTURING PROCESSES
- APPLICATIONS OF 13 x 100 mm TEST TUBES
- PROPER CARE AND HANDLING

## SPECIFICATIONS AND DIMENSIONS OF 13 x 100 mm TEST TUBES

THE 13 x 100 mm TEST TUBE IS DEFINED PRIMARILY BY ITS DIAMETER AND LENGTH, WHICH INFLUENCE ITS VOLUME CAPACITY AND SUITABILITY FOR VARIOUS LABORATORY TASKS. THIS SIZE IS ONE OF THE STANDARD DIMENSIONS USED INTERNATIONALLY FOR TEST TUBES, OFFERING A BALANCE BETWEEN COMPACTNESS AND USABILITY. THE DIAMETER OF 13 mm ALLOWS FOR EASY INSERTION INTO RACKS, HOLDERS, AND HEATING DEVICES, WHILE THE 100 mm LENGTH PROVIDES AN ADEQUATE VOLUME FOR MOST SMALL-SCALE REACTIONS AND SAMPLE COLLECTIONS.

### DIMENSIONAL DETAILS AND VOLUME

A 13 x 100 mm TEST TUBE TYPICALLY HOLDS APPROXIMATELY 10 TO 15 MILLILITERS OF LIQUID, DEPENDING ON THE WALL THICKNESS AND SHAPE. THE PRECISE INNER DIAMETER AND LENGTH ARE CRITICAL FOR COMPATIBILITY WITH TEST TUBE RACKS, CENTRIFUGES, AND OTHER LABORATORY INSTRUMENTS. THE UNIFORMITY IN THESE DIMENSIONS ENSURES THAT THE TEST TUBES FIT STANDARD LABORATORY ACCESSORIES WITHOUT OBSTRUCTION.

### STANDARDIZATION AND TOLERANCES

MANUFACTURERS ADHERE TO STRICT TOLERANCES DURING PRODUCTION TO MAINTAIN THE CONSISTENCY OF 13 x 100 mm TEST TUBES. THESE TOLERANCES INCLUDE SLIGHT VARIATIONS IN DIAMETER AND LENGTH BUT ARE GENERALLY WITHIN  $\pm 0.5$  mm. SUCH PRECISION IS ESSENTIAL FOR SCIENTIFIC REPRODUCIBILITY, ESPECIALLY WHEN TEST TUBES ARE USED IN AUTOMATED SYSTEMS OR REQUIRE PRECISE VOLUME MEASUREMENTS.

## MATERIALS AND MANUFACTURING PROCESSES

THE CONSTRUCTION MATERIAL OF A 13 x 100 mm TEST TUBE SIGNIFICANTLY AFFECTS ITS DURABILITY, CHEMICAL RESISTANCE, AND THERMAL PROPERTIES. SELECTION OF MATERIAL DEPENDS ON THE INTENDED LABORATORY APPLICATION, SUCH AS EXPOSURE TO HEAT OR CORROSIVE CHEMICALS.

## GLASS TEST TUBES

Borosilicate glass is the most common material for 13 x 100 mm test tubes due to its excellent thermal resistance and chemical inertness. This type of glass can withstand rapid temperature changes, making it suitable for heating and autoclaving. Borosilicate test tubes are also transparent, allowing clear observation of contents and reactions.

## PLASTIC TEST TUBES

Plastic variants of 13 x 100 mm test tubes are often made from polypropylene or polystyrene. These materials provide benefits such as shatter resistance and lower cost. However, plastic test tubes generally have lower heat tolerance and may not be suitable for high-temperature applications or certain chemical exposures.

## MANUFACTURING TECHNIQUES

Glass test tubes are typically produced by molding and drawing processes, where molten glass is shaped into tubes and then cut to length. Plastic test tubes are commonly manufactured through injection molding. Quality control during manufacturing ensures that the test tubes meet dimensional and material standards required for laboratory use.

## APPLICATIONS OF 13 x 100 MM TEST TUBES

The 13 x 100 mm test tube is widely utilized across various scientific disciplines due to its adaptable size and compatibility with many laboratory operations.

### CHEMICAL ANALYSIS AND REACTIONS

In chemistry laboratories, these test tubes serve as vessels for mixing reagents, conducting qualitative and quantitative analyses, and observing reaction kinetics. Their size is ideal for small-scale experiments where precise measurements and observation are required.

### MEDICAL AND CLINICAL USES

Medical laboratories use 13 x 100 mm test tubes for blood sample collection, centrifugation, and various diagnostic tests. The tubes can be fitted with stoppers or caps to prevent contamination and preserve sample integrity during transport and analysis.

### EDUCATIONAL LABORATORIES

In educational settings, the 13 x 100 mm test tube is a fundamental tool for teaching basic laboratory techniques, including heating substances, conducting simple chemical reactions, and observing biological samples. Its manageable size makes it ideal for student use.

### OTHER SPECIALIZED APPLICATIONS

These test tubes are also employed in microbiology for culturing microorganisms, environmental science for sampling, and industrial laboratories for quality control testing. Their versatility ensures relevance across

NUMEROUS SCIENTIFIC FIELDS.

## PROPER CARE AND HANDLING

MAINTAINING THE INTEGRITY AND LONGEVITY OF 13 x 100 MM TEST TUBES REQUIRES PROPER HANDLING, CLEANING, AND STORAGE PROTOCOLS. ADHERING TO BEST PRACTICES MINIMIZES THE RISK OF BREAKAGE, CONTAMINATION, AND INACCURATE RESULTS.

## CLEANING AND STERILIZATION

AFTER USE, GLASS TEST TUBES SHOULD BE THOROUGHLY CLEANED USING APPROPRIATE DETERGENTS AND RINSED TO REMOVE RESIDUES. STERILIZATION METHODS INCLUDE AUTOCLAVING, DRY HEAT STERILIZATION, OR CHEMICAL DISINFECTANTS, DEPENDING ON THE TEST TUBE MATERIAL AND LABORATORY REQUIREMENTS. PLASTIC TEST TUBES MAY HAVE SPECIFIC CLEANING GUIDELINES DUE TO MATERIAL SENSITIVITIES.

## SAFE HANDLING PRACTICES

HANDLING TEST TUBES WITH CARE INVOLVES USING RACKS DURING TRANSPORT, AVOIDING SUDDEN TEMPERATURE CHANGES, AND WEARING PROTECTIVE EQUIPMENT TO PREVENT INJURY FROM BREAKAGE. PROPER LABELING OF TEST TUBES ENSURES ACCURATE SAMPLE IDENTIFICATION AND REDUCES CROSS-CONTAMINATION RISKS.

## STORAGE CONSIDERATIONS

TEST TUBES SHOULD BE STORED UPRIGHT IN RACKS OR DESIGNATED HOLDERS TO PREVENT ROLLING AND BREAKAGE. THEY SHOULD BE KEPT IN CLEAN, DRY ENVIRONMENTS AWAY FROM DIRECT SUNLIGHT AND EXTREME TEMPERATURES TO PRESERVE MATERIAL PROPERTIES.

- USE RACKS FOR SECURE HANDLING AND STORAGE
- CLEAN AND STERILIZE ACCORDING TO MATERIAL SPECIFICATIONS
- AVOID THERMAL SHOCK BY GRADUAL TEMPERATURE CHANGES
- LABEL TUBES CLEARLY TO MAINTAIN SAMPLE INTEGRITY

## FREQUENTLY ASKED QUESTIONS

### WHAT ARE THE COMMON USES OF A 13 x 100 MM TEST TUBE?

A 13 x 100 MM TEST TUBE IS COMMONLY USED IN LABORATORIES FOR HOLDING, MIXING, OR HEATING SMALL QUANTITIES OF LIQUID OR SOLID CHEMICALS DURING EXPERIMENTS.

### WHAT MATERIAL IS A 13 x 100 MM TEST TUBE TYPICALLY MADE FROM?

THESE TEST TUBES ARE TYPICALLY MADE FROM BOROSILICATE GLASS, WHICH IS RESISTANT TO THERMAL SHOCK AND CHEMICAL CORROSION.

## CAN A 13 x 100 MM TEST TUBE BE USED FOR AUTOCLAVING?

YES, BOROSILICATE GLASS TEST TUBES OF 13 x 100 MM SIZE ARE GENERALLY AUTOCLAVABLE AND CAN WITHSTAND THE HIGH TEMPERATURES AND PRESSURES OF AUTOCLAVING FOR STERILIZATION.

## WHAT IS THE VOLUME CAPACITY OF A 13 x 100 MM TEST TUBE?

A 13 x 100 MM TEST TUBE USUALLY HAS A VOLUME CAPACITY OF APPROXIMATELY 15 TO 20 MILLILITERS, DEPENDING ON THE WALL THICKNESS AND MANUFACTURER SPECIFICATIONS.

## ARE 13 x 100 MM TEST TUBES COMPATIBLE WITH MOST LABORATORY RACKS?

YES, 13 x 100 MM TEST TUBES ARE A STANDARD SIZE AND ARE COMPATIBLE WITH MOST LABORATORY TEST TUBE RACKS DESIGNED TO HOLD TUBES OF SIMILAR DIAMETER AND LENGTH.

## HOW SHOULD A 13 x 100 MM TEST TUBE BE CLEANED AFTER USE?

TEST TUBES SHOULD BE CLEANED WITH APPROPRIATE LABORATORY DETERGENTS AND BRUSHES, RINSED THOROUGHLY WITH DISTILLED WATER, AND DRIED. FOR CERTAIN RESIDUES, SPECIFIC SOLVENTS OR ACID BATHS MAY BE REQUIRED.

## CAN 13 x 100 MM TEST TUBES BE USED FOR CENTRIFUGATION?

WHILE 13 x 100 MM TEST TUBES CAN SOMETIMES BE USED IN CENTRIFUGES, IT DEPENDS ON THE CENTRIFUGE ROTOR DESIGN AND SPEED. SPECIALIZED CENTRIFUGE TUBES ARE RECOMMENDED FOR HIGH-SPEED CENTRIFUGATION.

## WHAT SAFETY PRECAUTIONS SHOULD BE TAKEN WHEN HEATING A 13 x 100 MM TEST TUBE?

WHEN HEATING A TEST TUBE, ALWAYS POINT IT AWAY FROM YOURSELF AND OTHERS, USE APPROPRIATE CLAMPS OR HOLDERS, AND HEAT EVENLY TO AVOID BREAKAGE OR SUDDEN BOILING.

## ARE THERE PLASTIC ALTERNATIVES TO THE 13 x 100 MM GLASS TEST TUBE?

YES, PLASTIC TEST TUBES MADE FROM MATERIALS LIKE POLYPROPYLENE OR POLYSTYRENE ARE AVAILABLE IN 13 x 100 MM SIZES, SUITABLE FOR SOME APPLICATIONS BUT NOT FOR HIGH-TEMPERATURE HEATING OR CERTAIN CHEMICALS.

## ADDITIONAL RESOURCES

### 1. *LABORATORY TECHNIQUES WITH 13 x 100 MM TEST TUBES*

THIS BOOK OFFERS A COMPREHENSIVE GUIDE TO THE PROPER USE AND HANDLING OF 13 x 100 MM TEST TUBES IN VARIOUS LABORATORY SETTINGS. IT COVERS TECHNIQUES FOR SAMPLE COLLECTION, MIXING, HEATING, AND STORAGE. THE TEXT ALSO DISCUSSES COMMON PITFALLS AND BEST PRACTICES TO ENSURE SAFETY AND ACCURACY IN EXPERIMENTS.

### 2. *CHEMICAL REACTIONS IN STANDARD TEST TUBES: FOCUS ON 13 x 100 MM DIMENSIONS*

FOCUSING ON CHEMICAL EXPERIMENTS CONDUCTED IN 13 x 100 MM TEST TUBES, THIS BOOK EXPLORES REACTION DYNAMICS, TEMPERATURE CONTROL, AND REAGENT COMPATIBILITY. IT PROVIDES DETAILED PROTOCOLS FOR CONDUCTING QUALITATIVE AND QUANTITATIVE TESTS, MAKING IT IDEAL FOR STUDENTS AND PROFESSIONALS IN CHEMISTRY.

### 3. *MICROBIOLOGY AND 13 x 100 MM TEST TUBE CULTURES*

THIS TITLE DELVES INTO THE USE OF 13 x 100 MM TEST TUBES FOR CULTIVATING MICROORGANISMS. IT INCLUDES METHODS FOR STERILIZATION, INOCULATION, AND INCUBATION, EMPHASIZING ASEPTIC TECHNIQUES. THE BOOK IS A VALUABLE RESOURCE FOR MICROBIOLOGISTS AND LABORATORY TECHNICIANS.

### 4. *GLASSWARE ESSENTIALS: UNDERSTANDING 13 x 100 MM TEST TUBES*

A PRACTICAL HANDBOOK ON LABORATORY GLASSWARE, THIS BOOK FOCUSES ON THE SPECIFICATIONS, TYPES, AND USES OF 13 X 100 MM TEST TUBES. IT HIGHLIGHTS MANUFACTURING STANDARDS, MATERIAL PROPERTIES, AND CLEANING PROTOCOLS. READERS WILL GAIN INSIGHTS INTO SELECTING THE RIGHT TEST TUBE FOR SPECIFIC LABORATORY APPLICATIONS.

#### 5. ANALYTICAL PROCEDURES USING 13 X 100 MM TEST TUBES

DESIGNED FOR ANALYTICAL CHEMISTS, THIS BOOK DETAILS METHODS THAT UTILIZE 13 X 100 MM TEST TUBES FOR SAMPLE PREPARATION AND ANALYSIS. IT COVERS TITRATIONS, COLORIMETRIC ASSAYS, AND SPECTROPHOTOMETRIC TECHNIQUES, OFFERING STEP-BY-STEP INSTRUCTIONS AND TROUBLESHOOTING TIPS.

#### 6. SAFETY AND HANDLING OF 13 X 100 MM TEST TUBES IN THE LABORATORY

SAFETY IS PARAMOUNT WHEN WORKING WITH GLASS TEST TUBES. THIS BOOK ADDRESSES THE RISKS ASSOCIATED WITH 13 X 100 MM TEST TUBES, INCLUDING BREAKAGE, CHEMICAL EXPOSURE, AND CONTAMINATION. IT PROVIDES GUIDELINES ON SAFE HANDLING, STORAGE, AND DISPOSAL PROTOCOLS TO MINIMIZE HAZARDS.

#### 7. TEACHING SCIENCE WITH 13 X 100 MM TEST TUBES: EXPERIMENTS AND ACTIVITIES

AN EDUCATIONAL RESOURCE FOR SCIENCE TEACHERS, THIS BOOK PRESENTS A COLLECTION OF SIMPLE, ENGAGING EXPERIMENTS USING 13 X 100 MM TEST TUBES. THE ACTIVITIES ARE DESIGNED TO DEMONSTRATE FUNDAMENTAL SCIENTIFIC PRINCIPLES IN CHEMISTRY AND BIOLOGY, COMPLETE WITH LESSON PLANS AND STUDENT WORKSHEETS.

#### 8. INNOVATIONS IN TEST TUBE DESIGN: THE ROLE OF 13 X 100 MM TUBES

THIS BOOK EXPLORES ADVANCEMENTS IN TEST TUBE MATERIALS, COATINGS, AND SHAPES, WITH A FOCUS ON THE CLASSIC 13 X 100 MM SIZE. IT DISCUSSES HOW DESIGN IMPROVEMENTS ENHANCE EXPERIMENTAL OUTCOMES AND LABORATORY EFFICIENCY. CASE STUDIES HIGHLIGHT THE IMPACT OF THESE INNOVATIONS IN RESEARCH AND INDUSTRY.

#### 9. ENVIRONMENTAL TESTING TECHNIQUES USING 13 X 100 MM TEST TUBES

FOCUSING ON ENVIRONMENTAL SCIENCE, THIS TITLE COVERS PROTOCOLS FOR WATER, SOIL, AND AIR SAMPLE ANALYSIS USING 13 X 100 MM TEST TUBES. IT EMPHASIZES FIELD COLLECTION METHODS, PRESERVATION TECHNIQUES, AND LABORATORY TESTING STANDARDS. THE BOOK IS ESSENTIAL FOR ENVIRONMENTAL PROFESSIONALS AND RESEARCHERS.

## 13 X 100 Mm Test Tube

Find other PDF articles:

<https://test.murphyjewelers.com/archive-library-204/Book?ID=FGi71-8761&title=crm-vs-marketing-automation.pdf>

**13 x 100 mm test tube: Serologic Tests for Syphilis, 1955 Manual** United States. Public Health Service. Division of Special Health Services, 1955

**13 x 100 mm test tube: Manual of Serologic Tests for Syphilis** United States. Public Health Service. Venereal Disease Research Laboratory, Stapleton, N.Y., United States. Public Health Service. Division of Venereal Diseases, 1949

**13 x 100 mm test tube: The Journal of Venereal Disease Information** , 1940

**13 x 100 mm test tube: Journal of Venereal Disease Information** , 1949

**13 x 100 mm test tube: Experimental Organic Chemistry** Daniel R. Palleros, 2000-02-04  
This cutting-edge lab manual takes a multiscale approach, presenting both micro, semi-micro, and macroscale techniques. The manual is easy to navigate with all relevant techniques found as they are needed. Cutting-edge subjects such as HPLC, bioorganic chemistry, multistep synthesis, and more are presented in a clear and engaging fashion.

**13 x 100 mm test tube: ...Bulletin** United States. Federal Emergency Administration of Public Works. Housing Division, 1944

**13 x 100 mm test tube: Supplement to the Journal of Venereal Disease Information** , 1942

### **13 x 100 mm test tube: Clinical Laboratory Procedures: Bacteriology and Mycology**

United States. Bureau of Naval Personnel,

**13 x 100 mm test tube:** Bacteriology and Mycology Naval Medical School (U.S.), 1963

**13 x 100 mm test tube:** Bacteriological Analytical Manual United States. Food and Drug Administration. Division of Microbiology, 1978

**13 x 100 mm test tube:** *Manual of Tissue Typing Techniques* , 1974

**13 x 100 mm test tube: Serological Tests for Syphilis; 1959 Manual** , 1959

**13 x 100 mm test tube: Manual of Tissue Typing Techniques** National Institute of Allergy and Infectious Diseases (U.S.). Transplantation and Immunology Branch, 1973 This manual is intended as a laboratory aid to investigators concerned with histocompatibility typing. Periodic revision is performed to keep the manual abreast of changes in tissue typing methodology. Comments are solicited from its users with regard to future format and content.

**13 x 100 mm test tube:** Methods of Biochemical Analysis David Glick, 2009-09-24 Biochemical analysis is a rapidly expanding field and is a key component of modern drug discovery and research. Methods of Biochemical Analysis provides a periodic and authoritative review of the latest achievements in biochemical analysis. Founded in 1954 by Professor David Glick, Methods of Biochemical Analysis provides a timely review of the latest developments in the field.

**13 x 100 mm test tube: Serologic Tests for Syphilis** Communicable Disease Center (U.S.). Venereal Disease Research Laboratory, Chamblee, Ga, 1955

**13 x 100 mm test tube:** *Public Health Service Publication* , 1970

**13 x 100 mm test tube: National Nosocomial Infections Study Report** Center for Disease Control, 1973

**13 x 100 mm test tube: AF Manual** United States. Department of the Air Force, 1962

**13 x 100 mm test tube:** Technical Manual United States. War Department, 1960

**13 x 100 mm test tube:** Automation of a Technique for Determining Bacterial Sensitivity to Antibiotics L. T. Carleton, C. E. Miller, G. Reese, 1967 Development of an automated antibiotic sensitivity test breadboard is proceeding. A partially activated system has demonstrated mechanical operability and the generation of valid data for growth and inhibition in known biological systems. Families of growth curves have been developed for E. coli/penicillin, E. coli/cephalothin and S. faecalis/cephalothin. The shapes of curves and inhibitory effects of antibiotics are similar to those derived earlier with the Lindberg-Reese research instrument. The logic circuitry has been checked and cleared of spurious signals as a preliminary to complete system integration. An empirical method was derived for predicting 24-hour minimum inhibitory concentrations (MIC's), of antibiotics from data taken in the first few hours. It appears capable of predicting MIC's with an uncertainty of one (two-fold) dilution level. (Author).

## **Related to 13 x 100 mm test tube**

**html - What is ? - Stack Overflow** In html made by fckeditor i find the following character: &#13; What is this character?

1 13 8 6000mAh AI 1 13 3 13 14 ? - 13 14 Shader 13 14

**xml - What is HTML Entity ' '? - Stack Overflow** I'm generating an XML Document object via the DOMDocument class. In the process, some kind of whitespace within elements is being converted into &#13;. It's pretty

14 13 - 2022 iPhone 14 iPhone 14 iPhone 14 iPhone 14 Pro

**python - Errno 13 Permission denied - Stack Overflow** Errno 13 Permission denied [duplicate] Asked 8 years, 8 months ago Modified 2 years, 3 months ago Viewed 490k times



**iPhone 13** - iPhone 13  
“”

**Trying to understand CHAR(10) and CHAR(13) in SQL Server** CR (13) + LF (10) combine to create 1 total carriage return. If you do it in the opposite order, the LF forces the CR to be on a new line, producing 2 carriage returns

**html - What is ? - Stack Overflow** In html made by fckeditor i find the following character:  
&#13; What is this character?

**13** 13 8 6000mAh AI 13  
3  
1314  
Shader1314

**xml - What is HTML Entity ' '? - Stack Overflow** I'm generating an XML Document object via the DOMDocument class. In the process, some kind of whitespace within elements is being converted into &#13;. It's pretty

**1413** - 2022iPhone 14iPhone 14iPhone 13iPhone 14iPhone 14 Pro

**python - Errno 13 Permission denied - Stack Overflow** Errno 13 Permission denied [duplicate]  
Asked 8 years, 8 months ago Modified 2 years, 3 months ago Viewed 490k times

**ultra** **CPU** - Intel 121314  
Ultra

**upgrade - How to download and offline install Visual Studio 2022** Go to the Visual Studio 2022 Release History page and download a particular fixed version bootstrapper (e.g vs\_Enterprise17.13.0), copy it into your layout, and use it to update

**iPhone 13** - iPhone 13  
“”

**Trying to understand CHAR(10) and CHAR(13) in SQL Server** CR (13) + LF (10) combine to create 1 total carriage return. If you do it in the opposite order, the LF forces the CR to be on a new line, producing 2 carriage returns

Back to Home: <https://test.murphyjewelers.com>