

tb test results form

tb test results form is an essential document used by healthcare providers to record and communicate the results of tuberculosis (TB) testing. This form plays a critical role in diagnosing TB infection, determining the appropriate follow-up care, and ensuring accurate medical records. Understanding the components, interpretation, and proper handling of the tb test results form is vital for medical professionals, public health officials, and patients alike. This article provides a comprehensive overview of the tb test results form, including its purpose, the types of TB tests documented, how to read the results, and the significance of accurate reporting. Additionally, it covers common scenarios involving the form and the requirements for maintaining confidentiality and compliance. The following sections will guide readers through the most relevant aspects of the tb test results form to enhance knowledge and facilitate effective use in clinical and public health settings.

- Purpose and Importance of the TB Test Results Form
- Types of TB Tests Documented on the Form
- Key Components of a TB Test Results Form
- Interpreting TB Test Results
- Common Uses and Reporting Requirements
- Maintaining Accuracy and Confidentiality

Purpose and Importance of the TB Test Results Form

The tb test results form serves as an official record that documents the outcome of tuberculosis screening procedures. It is crucial for both individual patient care and public health monitoring.

Healthcare providers utilize this form to track TB exposure, infection status, and to plan subsequent interventions or treatments. The form ensures standardized communication between laboratories, healthcare facilities, and public health departments.

In addition to clinical use, the tb test results form aids in epidemiological surveillance by providing data for TB control programs. Accurate documentation helps prevent the spread of tuberculosis by identifying infected individuals and ensuring timely medical follow-up. The form also supports compliance with legal and regulatory requirements related to infectious disease reporting.

Types of TB Tests Documented on the Form

The tb test results form typically records results from various TB diagnostic methods. The choice of test depends on clinical indications, patient history, and available resources. The primary types of tests included are:

- **Tuberculin Skin Test (TST):** Also known as the Mantoux test, it involves intradermal injection of purified protein derivative (PPD) and measuring skin induration after 48-72 hours.
- **Interferon-Gamma Release Assays (IGRAs):** Blood tests such as QuantiFERON-TB Gold and T-SPOT.TB that detect immune response to TB antigens.
- **Chest X-Ray Results:** While not a direct test for TB infection, chest radiographs are often included to evaluate active disease presence.

Each test type has unique result interpretation criteria, which are documented on the tb test results form for clarity and follow-up.

Key Components of a TB Test Results Form

A comprehensive tb test results form contains several standardized fields to capture all relevant information. These components facilitate accurate interpretation and ensure all necessary data is available for clinical decisions. Key elements commonly found on the form include:

1. **Patient Identification:** Full name, date of birth, sex, and unique patient ID for accurate record matching.
2. **Date of Test Administration:** The date when the TB test was performed.
3. **Type of Test:** Specification whether the test is a skin test, IGRA, or chest X-ray.
4. **Test Results:** For TST, the size of induration in millimeters; for IGRAs, positive or negative results; for chest X-rays, descriptive findings.
5. **Interpretation:** Classification of results as positive, negative, or indeterminate based on established guidelines.
6. **Healthcare Provider Information:** Name, signature, and contact details of the examiner or tester.
7. **Additional Notes:** Any relevant comments such as patient risk factors, symptoms, or follow-up recommendations.

The form is often designed to be user-friendly and straightforward to reduce errors and ensure completeness.

Interpreting TB Test Results

Understanding the results recorded on the tb test results form is critical for diagnosing latent or active tuberculosis. Interpretation depends on test type, patient risk factors, and clinical context.

Reading Tuberculin Skin Test Results

The TST result is measured by the diameter of induration at the injection site, expressed in millimeters. Interpretation thresholds vary based on risk categories:

- **5 mm or more:** Positive in high-risk individuals such as immunocompromised patients or recent contacts of active TB cases.
- **10 mm or more:** Positive for individuals with moderate risk like recent immigrants from high-prevalence countries or healthcare workers.
- **15 mm or more:** Considered positive in persons with no known risk factors.

The tb test results form will often highlight these cutoffs to guide healthcare providers.

Interpreting Interferon-Gamma Release Assay Results

IGRAs provide binary outcomes: positive, negative, or indeterminate. A positive result indicates TB infection, while negative suggests no infection. Indeterminate results may require retesting. The form records these results alongside test dates and patient information.

Significance of Chest X-Ray Findings

Chest X-rays are used to detect active TB disease. The tb test results form includes descriptive sections for radiographic findings such as infiltrates, cavitations, or lymphadenopathy. Abnormal results prompt further diagnostic evaluation.

Common Uses and Reporting Requirements

The tb test results form is utilized in various healthcare and institutional settings. Common uses include:

- Pre-employment screening, especially in healthcare and congregate settings.
- Routine screening for individuals at high risk of TB exposure.
- Contact tracing and outbreak investigation by public health authorities.
- Monitoring treatment effectiveness in patients diagnosed with latent or active TB.

In many jurisdictions, reporting positive TB test results to public health departments is legally mandated. The tb test results form often includes fields to facilitate this reporting process, ensuring compliance with local regulations and supporting TB control efforts.

Maintaining Accuracy and Confidentiality

Accuracy in completing the tb test results form is essential to avoid misdiagnosis and ensure proper patient management. Healthcare providers must carefully measure, record, and interpret test results following standardized protocols. Errors can lead to unnecessary treatment or missed diagnoses.

Confidentiality is equally important given the sensitive nature of TB testing. The tb test results form must be stored securely and shared only with authorized personnel. Compliance with the Health Insurance Portability and Accountability Act (HIPAA) and other privacy regulations is mandatory to protect patient information.

Best practices for maintaining accuracy and confidentiality include:

- Double-checking patient details and test measurements before submission.

- Using standardized forms approved by health authorities.
- Training staff on proper test administration and documentation.
- Implementing secure electronic health record systems for storage and transmission.

Frequently Asked Questions

What is a TB test results form?

A TB test results form is a document used to record and report the outcome of a tuberculosis (TB) skin test or blood test, indicating whether the test is positive, negative, or inconclusive.

How do I read my TB test results form?

Your TB test results form will show the size of the induration (raised, hard area) in millimeters for a skin test, or a positive/negative result for a blood test. A healthcare professional interprets these results to determine TB exposure or infection.

Where can I get a TB test results form?

TB test results forms are typically provided by healthcare providers, clinics, hospitals, or public health departments where the test is administered.

What information is required on a TB test results form?

The form usually requires patient details, test type (skin or blood), date of test, size of induration (for skin test), test interpretation, healthcare provider's name, and signature.

Can a TB test results form be submitted electronically?

Yes, many healthcare facilities now allow electronic submission of TB test results forms through patient portals or electronic health record systems for faster processing.

How soon after a TB test can I expect the results on the form?

For a TB skin test, results are usually read and recorded on the form 48 to 72 hours after administration. Blood test results may take a few days to be processed and reported.

What should I do if my TB test results form shows a positive result?

If your form indicates a positive TB test, you should consult your healthcare provider for further evaluation, including chest X-rays and possibly treatment to prevent active TB disease.

Is the TB test results form required for school or employment?

Yes, many schools, workplaces, and healthcare facilities require a completed TB test results form as proof of TB screening to ensure the safety of students, employees, and patients.

Additional Resources

1. Understanding Tuberculosis Testing: A Comprehensive Guide

This book offers an in-depth look at tuberculosis (TB) testing methods, including the Tuberculin Skin Test (TST) and Interferon-Gamma Release Assays (IGRAs). It explains how to interpret test results accurately and discusses common challenges and pitfalls. Healthcare professionals will find practical advice for documenting and reporting TB test outcomes effectively.

2. Interpreting TB Test Results: A Clinical Handbook

Designed for clinicians and medical students, this handbook focuses on the interpretation of various TB test results. It covers the significance of induration sizes, false positives and negatives, and the implications for patient management. Case studies illustrate real-world scenarios to enhance

understanding.

3. The Tuberculin Skin Test Explained: From Procedure to Results

This book provides a step-by-step guide to administering the Tuberculin Skin Test and understanding the resulting data forms. It emphasizes the importance of accurate measurement and recording, offering tips to avoid common errors. The text also addresses patient communication and follow-up procedures.

4. TB Testing Documentation and Reporting Standards

A resource aimed at public health workers and laboratory personnel, this book details standardized forms and protocols for documenting TB test results. It highlights regulatory requirements and best practices for data entry, storage, and transmission. The guide ensures compliance with national and international TB control programs.

5. Clinical Applications of TB Test Results in Public Health

This title explores how TB test results inform public health decisions and strategies. It covers screening programs, outbreak investigations, and contact tracing. The book discusses how to use test data to prioritize interventions and allocate resources effectively.

6. Advances in TB Diagnostics: From Testing to Interpretation

Focusing on recent technological developments, this book reviews new diagnostic tools alongside traditional TB testing methods. It compares the accuracy, speed, and usability of various tests and their result forms. The text also considers future trends and research directions in TB diagnostics.

7. Patient-Centered TB Testing: Communication and Consent

This book addresses the ethical and practical aspects of TB testing, including obtaining informed consent and explaining test results to patients. It provides communication strategies to help patients understand their test outcomes and the implications for treatment or monitoring.

8. Global Perspectives on TB Testing and Result Documentation

Offering a comparative view, this book examines how different countries approach TB testing and the

documentation of results. It discusses cultural, economic, and infrastructural factors influencing testing protocols and reporting standards. The book is valuable for international health workers and policy makers.

9. *Quality Assurance in Tuberculosis Testing and Result Interpretation*

Focused on maintaining high standards in TB testing, this book outlines quality control measures for laboratories and clinics. It covers training, proficiency testing, and error reduction techniques related to test administration and result recording. The guide aims to improve diagnostic accuracy and patient outcomes.

Tb Test Results Form

Find other PDF articles:

<https://test.murphyjewelers.com/archive-library-503/Book?docid=RLm84-3988&title=maus-chapter-4-questions-and-answers.pdf>

tb test results form: Inventory of Federal Archives in the States Historical Records Survey (U.S.), 1938

tb test results form: **Health Services Reports** , 2002

tb test results form: **WHO operational handbook on tuberculosis. Module 3** World Health Organization, 2024-03-15 The “WHO operational handbook on tuberculosis. Module 3: Diagnosis - Rapid diagnostics for tuberculosis detection, third edition” is the latest edition replacing the one issued in 2021. A new class of technologies for drug susceptibility testing is endorsed by WHO and included in this edition: targeted next generation sequencing. The operational handbook aims at facilitating the implementation of the WHO recommendations by the Member States, technical partners, and others involved in managing patients with TB and DR-TB. It provides practical information on existing and new tests recommended by WHO, step-by-step advice on implementing and scale-up testing to achieve local and national impact and lastly, model diagnostic algorithms, which are updated to incorporate the latest recommendations. An overview of budgetary considerations and information sheets on each of the newly recommended tests is provided. The class of targeted next generation sequencing is recommended for the detection of resistance to a number of first- and second-line anti-TB drugs, rather than culture-based phenotypic drug susceptibility testing. The recommendations will open for faster detection of resistance to a range of anti-TB drugs directly from sputum samples.

tb test results form: **Public Health Reports** , 2002

tb test results form: **Reported Tuberculosis in the United States** , 2006

tb test results form: **Reported Tuberculosis in the United States** Center for Disease Control. Tuberculosis Control Division, 1993

tb test results form: *Large Animal Clinical Procedures for Veterinary Technicians E-Book* Kristin J. Holtgrew-Bohling, 2019-07-17 - NEW! Tables on Temperature, Pulse, Respiration (TPR)

data and vaccine schedules provide a quick, at-a-glance reference for important information. - NEW! Expanded regulatory information for livestock provides details on OCV vaccination, Health Certificate forms, Brucellosis and Tuberculosis testing, and Scrapies tags. - NEW! Four new chapters on Poultry provide detailed coverage of the breed.

tb test results form: Federal Register , 2014-02

tb test results form: Tuberculosis Lloyd N. Friedman, 2000-07-12 Why is tuberculosis out of control? What prompted a change in U.S. health policy? In the revised edition of the 1994 book, the editor has updated his bestseller to address the new challenge tuberculosis is presenting to both the medical community and the general public. The emphasis in the United States has changed to directly observe

tb test results form: Consolidated guidance on tuberculosis data generation and use. Module 3. National tuberculosis prevalence surveys World Health Organization, 2025-07-10 National TB prevalence surveys are a key tool used by WHO to estimate the burden of TB disease in a country. Repeat surveys allow for the assessment of trends, and of the impact of interventions to reduce the burden of disease; thus helping to track progress towards the milestones and targets for reductions in TB incidence set in the WHO End TB Strategy. Between 2007 and 2024, a total of 36 surveys in 32 countries were implemented using the screening and diagnostic methods recommended by WHO. These surveys were guided by two WHO publications, first in 2007 and then in 2011. Since then, major technological developments have occurred, and important lessons have been learned from surveys implemented. This new edition is intended to support the design, implementation, analysis and reporting of national TB prevalence surveys in the period up to about 2030. It includes: - major revisions to the diagnostic algorithms that are recommended for use in national TB prevalence surveys, and in turn the case definitions used to count the number of survey participants who have TB disease; - updated guidance on sampling design and the analysis and reporting of data, based on the new diagnostic algorithms and case definitions; - updated and considerably expanded guidance on data management; - updated guidance on chest radiography, clinical management, survey management and field operations; and - new chapters on testing for HIV and comorbidities, survey monitoring, comparisons with previous surveys, reporting and dissemination of survey results, and use of survey data.

tb test results form: Inventory of Federal Archives in the States Historical Records Survey (U.S.), 1938

tb test results form: Guidance for the surveillance of drug resistance in tuberculosis, sixth edition , 2021-02-12 The aim of this document is to assist national TB programmes in developing the strongest possible mechanisms of surveillance, starting from periodic country-specific surveys of sampled patients. The ultimate goal is to establish continuous surveillance systems based on routine drug susceptibility testing (DST). This guidance promotes certain standardized criteria for surveillance to ensure that results are comparable within and between countries over time. The target audience of this document is national TB programmes and, in particular, the coordination team for surveillance ideally composed of the programme manager, a laboratory specialist, a logistician, and an epidemiologist/statistician.

tb test results form: The use of next-generation sequencing for the surveillance of drug-resistant tuberculosis World Health Organization, 2023-10-17 This document provides practical guidance on planning and implementing next-generation sequencing (NGS) technology for the characterization of Mycobacterium tuberculosis complex (MTBC) bacteria. The aim is to detect mutations associated with drug resistance in the context of a surveillance system for tuberculosis (TB). This guide is intended to inform staff of national TB programmes and ministries of health, implementing partners, laboratory managers and technical staff, clinicians, donors, and other stakeholders engaged in the surveillance of drug-resistant TB and TB laboratory strengthening.

tb test results form: Report United States. Congress. House,

tb test results form: Morbidity and Mortality Weekly Report , 2007

tb test results form: Multidrug-resistant Tuberculosis Ivan Bastian, F. Portaels, 2000 The

emergence of multidrug-resistant tuberculosis (MDRTB) threatens TB control programs worldwide. Outbreaks of MDRTB in the United States grabbed the attention of the medical community and the general public, and subsequent surveys have found hot spots of MDRTB in low- and middle-income countries on four continents. Contributions from experts provide detailed descriptions, causes, molecular biology, laboratory diagnosis, treatment, prevention, and public health aspects of this disease. It gives an authoritative overview of MDRTB and should be a useful reference book for clinicians, scientists and other health personnel involved in the care of TB and MDRTB patients in industrialized and developing countries.

tb test results form: Today's Medical Assistant - E-Book Kathy Bonewit-West, Sue Hunt, 2019-12-11 Bringing together comprehensive, easy-to-read coverage of medical assisting competencies and a solid foundation of anatomy and physiology, *Today's Medical Assistant: Clinical & Administrative Procedures*, 4th Edition provides everything you need to successfully begin a career as a medical assistant. This hands-on guide uses easy-to-follow language and detailed visuals to walk you through all the medical knowledge, procedures, and skills you need for success in today's fast-paced medical office. Cutting-edge content is organized around medical assisting standards and competencies, supplemented throughout with a wide assortment of engaging learning tools and activities that help you to fully understand and demonstrate those competencies. The 4th Edition features enhanced coverage of healthcare law, certification, electronic health records, motivational interviewing, office management, and more, as well as additional procedures to address behavior-based competencies and expanded sample certification exams online. For tomorrow's professional landscape, look no further than *Today's Medical Assistant!* - Consistent and meticulous coverage throughout all elements of the text and its learning package provide reliable content and unparalleled accuracy on the responsibilities of the modern medical assistant. - More than 120 detailed, step-by-step procedures with illustrations are accompanied by skills videos online. - UNIQUE! Effective learning aids include procedure charting activities, What Would You Do?/What Would You Not Do? scenarios, patient education and practice applications, and much more. - Wide range of engaging learning activities on the companion website provide fun, interactive practice. - NEW! New content on healthcare trends and laws, certification for Medical Assistants, electronic health records, motivational interviewing, office management, and more ensures that you have the latest information needed to obtain employment and long-term success on the job. - NEW! New procedures address the affective (behavior-based) MAERB competencies to provide example-driven learning tools. - NEW! Updated art program focuses on the workings of a modern medical office and includes updated illustrations and photographs of office procedures and medical records. - NEW! Expanded and updated sample certification exams provide realistic practice to help you prepare to pass the test and launch your Medical Assisting career.

tb test results form: Confidential Documents United States. Army Air Forces, 1948

tb test results form: *Code of Federal Regulations* , 2004

tb test results form: *Treatment Improvement Protocol (TIP) Series* , 1993

Related to tb test results form

Tuberculosis: Causes and How It Spreads | Tuberculosis (TB) | CDC Tuberculosis (TB) germs spread through the air from one person to another. TB germs can get into the air when someone with active TB disease coughs, speaks, or sings.

Signs and Symptoms of Tuberculosis | Tuberculosis (TB) | CDC Common symptoms of active tuberculosis disease include cough, chest pain, and coughing up blood

Tuberculosis (TB) | Tuberculosis (TB) | CDC The tuberculosis (TB) blood test and the TB skin test are the two types of tests for TB infection

Tuberculosis (TB) - World Health Organization (WHO) WHO fact sheet on tuberculosis (TB): includes key facts, definition, global impact, treatment, HIV and TB, multidrug-resistant TB and WHO response

About Tuberculosis | Tuberculosis (TB) | CDC About Tuberculosis Key points Tuberculosis (TB)

is caused by a bacterium called *Mycobacterium tuberculosis*. Two TB-related conditions exist: inactive TB and active TB

Tuberculosis Risk Factors | Tuberculosis (TB) | CDC Tuberculosis Risk Factors Key points Anyone can get tuberculosis (TB), but some people are at higher risk than others. You can get TB even if you received the TB vaccine

Clinical Overview of Tuberculosis Disease | Tuberculosis (TB) | CDC Tuberculosis (TB) is caused by a bacterium called *Mycobacterium tuberculosis* (*M. tuberculosis*). TB bacteria usually attack the lungs, but TB bacteria can attack any part of the

About Inactive Tuberculosis | Tuberculosis (TB) | CDC Tuberculosis (TB) germs can live in the body for years without making you sick. This is called inactive TB or latent TB infection. People with inactive TB do not feel sick, do not

Clinical Overview of Tuberculosis | Tuberculosis (TB) | CDC Clinical Overview of Tuberculosis Key points Tuberculosis (TB) is caused by a bacterium called *Mycobacterium tuberculosis* (*M. tuberculosis*). TB disease is one of the

Tuberculosis - World Health Organization (WHO) Tuberculosis (TB) often affects the lungs and can lead to several symptoms. Common signs of active TB include a persistent cough, sometimes with mucus or even blood.

Tuberculosis: Causes and How It Spreads | Tuberculosis (TB) | CDC Tuberculosis (TB) germs spread through the air from one person to another. TB germs can get into the air when someone with active TB disease coughs, speaks, or sings.

Signs and Symptoms of Tuberculosis | Tuberculosis (TB) | CDC Common symptoms of active tuberculosis disease include cough, chest pain, and coughing up blood

Tuberculosis (TB) | Tuberculosis (TB) | CDC The tuberculosis (TB) blood test and the TB skin test are the two types of tests for TB infection

Tuberculosis (TB) - World Health Organization (WHO) WHO fact sheet on tuberculosis (TB): includes key facts, definition, global impact, treatment, HIV and TB, multidrug-resistant TB and WHO response

About Tuberculosis | Tuberculosis (TB) | CDC About Tuberculosis Key points Tuberculosis (TB) is caused by a bacterium called *Mycobacterium tuberculosis*. Two TB-related conditions exist: inactive TB and active TB

Tuberculosis Risk Factors | Tuberculosis (TB) | CDC Tuberculosis Risk Factors Key points Anyone can get tuberculosis (TB), but some people are at higher risk than others. You can get TB even if you received the TB vaccine

Clinical Overview of Tuberculosis Disease | Tuberculosis (TB) | CDC Tuberculosis (TB) is caused by a bacterium called *Mycobacterium tuberculosis* (*M. tuberculosis*). TB bacteria usually attack the lungs, but TB bacteria can attack any part of the

About Inactive Tuberculosis | Tuberculosis (TB) | CDC Tuberculosis (TB) germs can live in the body for years without making you sick. This is called inactive TB or latent TB infection. People with inactive TB do not feel sick, do not

Clinical Overview of Tuberculosis | Tuberculosis (TB) | CDC Clinical Overview of Tuberculosis Key points Tuberculosis (TB) is caused by a bacterium called *Mycobacterium tuberculosis* (*M. tuberculosis*). TB disease is one of the

Tuberculosis - World Health Organization (WHO) Tuberculosis (TB) often affects the lungs and can lead to several symptoms. Common signs of active TB include a persistent cough, sometimes with mucus or even blood.

Tuberculosis: Causes and How It Spreads | Tuberculosis (TB) | CDC Tuberculosis (TB) germs spread through the air from one person to another. TB germs can get into the air when someone with active TB disease coughs, speaks, or sings.

Signs and Symptoms of Tuberculosis | Tuberculosis (TB) | CDC Common symptoms of active tuberculosis disease include cough, chest pain, and coughing up blood

Tuberculosis (TB) | Tuberculosis (TB) | CDC The tuberculosis (TB) blood test and the TB skin

test are the two types of tests for TB infection

Tuberculosis (TB) - World Health Organization (WHO) WHO fact sheet on tuberculosis (TB): includes key facts, definition, global impact, treatment, HIV and TB, multidrug-resistant TB and WHO response

About Tuberculosis | Tuberculosis (TB) | CDC About Tuberculosis Key points Tuberculosis (TB) is caused by a bacterium called *Mycobacterium tuberculosis*. Two TB-related conditions exist: inactive TB and active TB

Tuberculosis Risk Factors | Tuberculosis (TB) | CDC Tuberculosis Risk Factors Key points Anyone can get tuberculosis (TB), but some people are at higher risk than others. You can get TB even if you received the TB vaccine (also

Clinical Overview of Tuberculosis Disease | Tuberculosis (TB) | CDC Tuberculosis (TB) is caused by a bacterium called *Mycobacterium tuberculosis* (*M. tuberculosis*). TB bacteria usually attack the lungs, but TB bacteria can attack any part of the

About Inactive Tuberculosis | Tuberculosis (TB) | CDC Tuberculosis (TB) germs can live in the body for years without making you sick. This is called inactive TB or latent TB infection. People with inactive TB do not feel sick, do not

Clinical Overview of Tuberculosis | Tuberculosis (TB) | CDC Clinical Overview of Tuberculosis Key points Tuberculosis (TB) is caused by a bacterium called *Mycobacterium tuberculosis* (*M. tuberculosis*). TB disease is one of the

Tuberculosis - World Health Organization (WHO) Tuberculosis (TB) often affects the lungs and can lead to several symptoms. Common signs of active TB include a persistent cough, sometimes with mucus or even blood.

Tuberculosis: Causes and How It Spreads | Tuberculosis (TB) | CDC Tuberculosis (TB) germs spread through the air from one person to another. TB germs can get into the air when someone with active TB disease coughs, speaks, or sings.

Signs and Symptoms of Tuberculosis | Tuberculosis (TB) | CDC Common symptoms of active tuberculosis disease include cough, chest pain, and coughing up blood

Tuberculosis (TB) | Tuberculosis (TB) | CDC The tuberculosis (TB) blood test and the TB skin test are the two types of tests for TB infection

Tuberculosis (TB) - World Health Organization (WHO) WHO fact sheet on tuberculosis (TB): includes key facts, definition, global impact, treatment, HIV and TB, multidrug-resistant TB and WHO response

About Tuberculosis | Tuberculosis (TB) | CDC About Tuberculosis Key points Tuberculosis (TB) is caused by a bacterium called *Mycobacterium tuberculosis*. Two TB-related conditions exist: inactive TB and active TB

Tuberculosis Risk Factors | Tuberculosis (TB) | CDC Tuberculosis Risk Factors Key points Anyone can get tuberculosis (TB), but some people are at higher risk than others. You can get TB even if you received the TB vaccine (also

Clinical Overview of Tuberculosis Disease | Tuberculosis (TB) | CDC Tuberculosis (TB) is caused by a bacterium called *Mycobacterium tuberculosis* (*M. tuberculosis*). TB bacteria usually attack the lungs, but TB bacteria can attack any part of the

About Inactive Tuberculosis | Tuberculosis (TB) | CDC Tuberculosis (TB) germs can live in the body for years without making you sick. This is called inactive TB or latent TB infection. People with inactive TB do not feel sick, do not

Clinical Overview of Tuberculosis | Tuberculosis (TB) | CDC Clinical Overview of Tuberculosis Key points Tuberculosis (TB) is caused by a bacterium called *Mycobacterium tuberculosis* (*M. tuberculosis*). TB disease is one of the

Tuberculosis - World Health Organization (WHO) Tuberculosis (TB) often affects the lungs and can lead to several symptoms. Common signs of active TB include a persistent cough, sometimes with mucus or even blood.

Tuberculosis: Causes and How It Spreads | Tuberculosis (TB) | CDC Tuberculosis (TB) germs

spread through the air from one person to another. TB germs can get into the air when someone with active TB disease coughs, speaks, or sings.

Signs and Symptoms of Tuberculosis | Tuberculosis (TB) | CDC Common symptoms of active tuberculosis disease include cough, chest pain, and coughing up blood

Tuberculosis (TB) | Tuberculosis (TB) | CDC The tuberculosis (TB) blood test and the TB skin test are the two types of tests for TB infection

Tuberculosis (TB) - World Health Organization (WHO) WHO fact sheet on tuberculosis (TB): includes key facts, definition, global impact, treatment, HIV and TB, multidrug-resistant TB and WHO response

About Tuberculosis | Tuberculosis (TB) | CDC About Tuberculosis Key points Tuberculosis (TB) is caused by a bacterium called *Mycobacterium tuberculosis*. Two TB-related conditions exist: inactive TB and active TB

Tuberculosis Risk Factors | Tuberculosis (TB) | CDC Tuberculosis Risk Factors Key points Anyone can get tuberculosis (TB), but some people are at higher risk than others. You can get TB even if you received the TB vaccine

Clinical Overview of Tuberculosis Disease | Tuberculosis (TB) | CDC Tuberculosis (TB) is caused by a bacterium called *Mycobacterium tuberculosis* (*M. tuberculosis*). TB bacteria usually attack the lungs, but TB bacteria can attack any part of the

About Inactive Tuberculosis | Tuberculosis (TB) | CDC Tuberculosis (TB) germs can live in the body for years without making you sick. This is called inactive TB or latent TB infection. People with inactive TB do not feel sick, do not

Clinical Overview of Tuberculosis | Tuberculosis (TB) | CDC Clinical Overview of Tuberculosis Key points Tuberculosis (TB) is caused by a bacterium called *Mycobacterium tuberculosis* (*M. tuberculosis*). TB disease is one of the

Tuberculosis - World Health Organization (WHO) Tuberculosis (TB) often affects the lungs and can lead to several symptoms. Common signs of active TB include a persistent cough, sometimes with mucus or even blood.

Back to Home: <https://test.murphyjewelers.com>